

10G DWDM Linecard with support for 10GbE and OC192/STM64 - XFP Based

- ✓ *Multi-service optical interface for universal high speed service provisioning*
- ✓ *Protocol independent, enabling efficient delivery and installation of services*
- ✓ *Multi-rate optical interface, supporting OC-192 / STM-64, 10 GbE WAN PHY and 10 GbE LAN PHY, 10G Fibre Channel*

The 10G GigaMux OCM provides a high-speed, multi-service transport interface, enables service providers to efficiently deliver a mix of services, supporting a wide range of high-speed applications and topologies. With a high performance laser designed specifically for very low dispersion, the OCM-10G allows service providers to cost-effectively extend the reach of their 10 Gigabit systems. Based on Sorrento's intelligent optical layer technology, the OCM-10G is designed to operate at the native physical layer, increasing the speed and flexibility of service provisioning; eliminating the need to deploy new hardware when the service mix changes. An OC-192 / STM-64 service delivered to a customer site can rapidly be changed to a native 10 GbE LAN PHY or 10 GbE WAN PHY or 10G Fibre Channel service through a simple remote configuration command. In addition, by being fully XFP based, sparing and part procurement is simplified. For a new channel or wavelength requirement, an XFP can simply be replaced without having to replace the entire, easing maintenance and providing a lower overall solution cost.

Through the OCM-10G's architecture, users can rapidly change the rate of the application interface through a single management command executed at the local OCM-10G. The corresponding remote OCM-10G will then be automatically configured to the same rate through Sorrento's non-intrusive In- Wavelength Management (IWM) channel. With the scalability of the GigaMux's optical access service architecture, service providers can expand the capacity of their service delivery by providing a multiservice mix for up to 40 wavelengths over a fiber pair.

The OCM-10G is easily managed via Sorrento's Management System (ZMS) and command line interface. This allows customers to manage remote network elements without an extensive IP infrastructure, and troubleshoot and isolate problems quickly and effectively. The GigaMux Management Processor Module (MPM) directly manages the local and remote OCM-10Gs and performs remote download of software, which reduces maintenance costs and greatly simplifies network upgrades.

Technical Specifications

Dimensions

- 4" H x .8" W x 8.25" D
- (100 mm x 20 mm x 210 mm)

Interfaces

- XFP based LC/UFC connectors on pluggable optics

Protocol Support

- SONET / SDH—
- Type OC-192 / STM-64
- Standard Conforms to Telcordia
- GR253-CORE
- SONET transport
- Configuration Data rate transparent,
- line rate of 9.953 Gbps
- Connector LC
- Mode 1310nm Singlemode /
- Multimode (SMMM)
- 10 Gigabit Ethernet —
- Type 10 GBASE
- Configuration Data rate transparent,
- line rate of 10.3125 Gbps
- Connector LC
- Mode 1310nm Singlemode /
- Multimode (SMMM)
- Specifications:
- Optical specifications based upon XFP type.

Regulatory Compliance

- (When properly installed in a GigaMux Chassis)
- Safety UL 1950, 3rd Edition
- IEC 60950, 3rd Edition
- (according to CB Scheme)
- EMC FCC Part 15 Class A (USA)
- EN 55022 Class A (Europe) GM
- 3234, 3217
- EN 55022 Class B (Europe)
- GM 1608
- VCCI Class A (Japan)
- EN61000-3-2/3
- Harmonics/Flicker
- Immunity EN61000-4-2/3/4/5/6/11
- ESD/EI/EFT/Surge/LFCI/VDS
- ENV50140-RI
- Telecom FCC Part 68 (USA)
- Designed for NEBS
- Level 3 compliance

Ordering Information

LXOCM10GF	10G Linecard, uses client and line-side XFP
GMXFP-10G-MM	850NM MULTIMODE XFP - 300METER DISTANCE
GMXFP-10G-SM-10	1310NM SINGLEMODE XFP - 10KM DISTANCE
GMXFP-10G-40Cxx-80	80KM 10G DWDM XFP -(XX Represents ITU channel number 20-59)



Sorrento Networks, Inc.
+1 510.577.1499 phone
www.sorrentonet.com

For more information visit www.sorrentonet.com or e-mail info@sorrentonet.com.

Sorrento, the Sorrento logo, and all Sorrento product names are trademarks of Sorrento Networks, Inc. Other brand and product names are trademarks of their respective holders.

Specifications, products, and/or product names are all subject to change without notice.

Copyright 2008 Sorrento Networks, Inc. All rights reserved.

02 12 2008